



BANUHASHIM
— ALUMINIUM —

BUILD SMART.
BUILD STRONG.
BUILD WITH PRECISION.



ABOUT US

Banu Hasim Aluminium is an aluminium extrusion manufacturing company established in January 2026, equipped with a 1150-ton fully automated PLC-controlled press. Founded by Md. Faisal Kunda and Md. Umar Kunda, the company operates on a 9000 sq. meter facility and is part of the Dada Group of Companies.

The company specializes in high-quality aluminium extrusion profiles, with key products including solar panel frames, heat sinks, and other industrial aluminium solutions. Its focus is on delivering durable, efficient, and industry-ready products.

Banu Hasim Aluminium serves sectors such as construction, solar energy, electronics, architecture, and manufacturing, with a strong commitment to quality, trust, and reliable industrial solutions.

WHY CHOOSE US



PRECISION ENGINEERING

Engineered solution
with unmatched
accuracy.



HIGH-QUALITY PRODUCTS

Premium materials
for superior
performance.



CONSUMER FOCUS

Attentive service and
tailor made solutions
for every need.




TIMELY DELIVERY

On-time commitment
you can always
count on.


NO.	NAME OF SEGMENT	PG NO.
1.	ARCHITECTURAL PROFILES	01-02
2.	PARTITION & DOORS	03-10
3.	SLIDING 18MM	11-16
4.	SLIDING 25MM	17-20
5	SLIDING 20 MM	20-23
6.	SLIDING 18MM TRACK	24-26
7.	SLIDING 25 MM TRACK	27-29
8.	MOSQUITO & INVISIBLE	30-31
9.	DOMAL SERIES & GULF SERIES	32-70
10.	CASEMENT SERIES & MULIAN SERIES	71-83
11.	CURATIN WALL	84-94
12.	KITCHEN PROFILES	95-101
13.	GLASS PARTITION	102-107
14.	RAILING SERIES	108-112
15.	LOUVERS	113-115
16.	LADDERS	116-117
17.	EXTRAORDINARY PROFILES	118-124

SQUARE TUBE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1225	19.00	19.00	0.88	0.600 - 0.800
2	BH-1230	25.00	25.00	0.90	0.800 - 1.000
3	BH-1235	25.00	25.00	1.80	1.500 - 1.700
4	BH-1240	25.00	25.00	1.10	1.000 - 1.200
5	BH-1202	38.00	38.00	0.97	1.400 - 1.600
6	BH-1203	38.00	38.00	1.10	1.600 - 1.800
7	BH-1204	38.00	38.00	1.22	1.800 - 2.000
8	BH-1205	38.00	38.00	1.35	2.000 - 2.200
9	BH-1210	40.00	40.00	2.80	4.100 - 4.500
10	BH-1215	50.00	50.00	1.00	1.800 - 2.000
11	BH-1220	50.00	50.00	1.10	2.000 - 2.200
12	BH-1221	50.00	50.00	1.50	2.700 - 3.000
13	BH-1222	50.00	50.00	2.10	3.900 - 4.100


RECTANGULAR TUBE



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'	NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1200	38.00	25.00	0.88	1.000 - 1.200	20	BH-1325	75.00	25.00	0.78	1.600 - 1.800
2	BH-1201	38.00	25.00	1.26	1.500 - 1.700	21	BH-1326	75.00	25.00	1.05	1.900 - 2.100
3	BH-1199	38.00	25.00	1.70	2.000 - 2.300	22	BH-1327	75.00	25.00	1.20	2.200 - 2.400
4	BH-1323	50.00	12.70	1.15	1.300 - 1.500	23	BH-1328	95.00	24.00	1.00	2.100 - 2.300
5	BH-1324	50.00	19.00	1.18	1.500 - 1.700	24	BH-1321	101.00	12.70	1.30	2.900 - 3.200
6	BH-1300	50.00	25.00	0.65	0.900 - 1.100	25	BH-1322	101.00	19.00	1.45	3.400 - 3.700
7	BH-1301	50.00	25.00	0.78	1.100 - 1.300	26	BH-1329	101.00	25.00	0.80	2.100 - 2.300
8	BH-1302	50.00	25.00	0.88	1.300 - 1.450	27	BH-1330	101.00	25.00	0.95	2.300 - 2.600
9	BH-1303	50.00	25.00	1.00	1.400 - 1.600	28	BH-1331	101.00	25.00	1.18	2.700 - 2.900
10	BH-1305	50.00	25.00	1.28	1.800 - 2.000	29	BH-1332	101.00	25.00	1.32	2.900 - 3.100
11	BH-1311	50.00	38.00	1.00	1.700 - 1.900	30	BH-1333	127.00	25.00	1.20	3.500 - 3.800
12	BH-1312	50.00	38.00	1.20	2.000 - 2.200	31	BH-1334	40.00	20.00	1.80	1.850 - 2.050
13	BH-1307	50.00	38.00	1.40	2.300 - 2.500	32	BH-1335	80.00	40.00	1.40	2.900 - 3.200
14	BH-1313	63.00	25.00	0.83	1.500 - 1.650	33	BH-1336	80.00	40.00	1.80	3.800 - 4.150
15	BH-1308	63.00	38.00	1.15	2.200 - 2.400	34	BH-1337	100.00	50.00	1.50	4.000 - 4.400
16	BH-1310	63.00	38.00	1.25	2.900 - 3.200	35	BH-1338	100.00	50.00	1.80	4.800 - 5.300
17	BH-1315	63.00	38.00	1.45	3.400 - 3.600	36	BH-1339	100.00	50.00	2.00	5.300 - 5.800
18	BH-1319	75.00	12.70	1.45	2.500 - 2.800	37	BH-1340	100.00	50.00	2.08	7.400 - 7.900
19	BH-1320	75.00	19.00	1.52	2.700 - 3.000	38	BH-1341	100.00	50.00	3.00	7.900 - 8.400




SINGLE PARTITION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1400	50.00	25.00	0.71	1.200-1.400
2	BH-1401	50.00	25.00	1.55	2.400 - 2.600
3	BH-1403	63.00	38.00	0.75	1.700 - 1.900
4	BH-1404	63.00	38.00	0.95	2.000 - 2.200
5	BH-1405	63.00	38.00	1.03	2.100 - 2.300
6	BH-1406	63.00	38.00	1.23	2.500 - 2.700
7	BH-1407	63.00	38.00	1.40	2.900 - 3.200
8	BH-1408	101.00	44.50	1.35	4.000 - 4.400

DOUBLE PARTITION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1500	50.00	25.00	0.60	1.200 - 1.400
2	BH-1501	50.00	25.00	1.48	2.400 - 2.600
3	BH-1503	63.00	38.00	0.85	2.200 - 2.400
4	BH-1504	63.00	38.00	0.75	1.800 - 2.000
5	BH-1502	63.00	38.00	0.65	1.600 - 1.800
6	BH-1505	63.00	38.00	1.03	2.400 - 2.600
7	BH-1506	63.00	38.00	1.23	2.800 - 3.200
8	BH-1507	63.00	38.00	1.33	2.800 - 3.200
9	BH-1508	101.00	44.50	1.26	3.900 - 4.300

DOOR TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1820	47.50	44.50	1.05	2.000 - 2.200
2	BH-1821	47.50	44.50	1.25	2.500 - 2.700
3	BH-1825	85.00	44.50	1.35	3.600 - 3.900
4	BH-1826	85.00	44.50	1.70	4.400 - 4.800

DOOR VERTICAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1811	47.50	44.50	1.05	1.850 - 1.950
2	BH-1812	47.50	44.50	1.25	2.600 - 2.800
3	BH-1813	85.00	44.50	1.35	3.700 - 4.000
4	BH-1814	85.00	44.50	1.70	4.400 - 4.900


LEG PARTITION



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1840	63.50	50.00	1.20	3.000 - 3.300




DOOR MIDDLE SINGLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1850	47.50	44.50	1.08	2.100 - 2.300
2	BH-1851	47.50	44.50	1.40	2.600 - 2.900


DOOR BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1830	114.50	44.50	1.15	3.800 - 4.200
2	BH-1831	114.50	44.50	1.35	4.400 - 4.800



DOOR MIDDLE DOUBLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1860	47.50	44.50	1.10	2.300 - 2.500
2	BH-1861	47.50	44.50	1.40	2.800 - 3.000
3	BH-1862	85.00	44.50	1.30	3.700 - 4.100




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1870	44.40	3.00	0.50	0.500 - 0.600

2 X 1 L PIPE



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1875	46.50	24.50	0.90	1.200 - 1.400
2	BH-1876	46.50	24.50	1.00	1.400 - 1.600


1.5 X 1 L PIPE



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1880	37.50	24.50	0.88	1.000 - 1.100
2	BH-1881	37.50	24.50	1.00	1.200 - 1.400
3	BH-1882	37.50	24.50	1.10	1.200 - 1.400




GLAZING CLIP



PARTITION


NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1818	20.20	15.20	0.45	0.200 - 0.230
2	BH-1819	20.20	15.00	0.50	0.240 - 0.260
3	BH-1822	20.20	15.20	0.60	0.270 - 0.300
4	BH-1823	20.20	15.20	0.70	0.300 - 0.350

BOX CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1890	19.10	17.20	1.31	0.700 - 0.900

MOULDING HANDLE




	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1600	60.00	25.00	0.98	1.900 - 2.100
2	BH-1601	60.00	25.00	1.30	2.400 - 2.600

MOULDING MIDDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1605	60.00	25.00	1.00	2.000 - 2.200
2	BH-1606	60.00	25.00	1.25	2.300 - 2.500

2.5 X 1.5 MOULDING L PIPE



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2620	64.00	39.50	1.20	2.300 - 2.500


TOP BOTTOM



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2630	60.00	25.00	0.87	1.700 - 1.900


MOULDING HANDLE

MOULDING PARTITION 75 X 25 mm




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2635	75.00	25.00	0.93	2.100 - 2.300
2	BH-2636	75.00	25.00	1.10	2.300 - 2.500

MOULDING MIDDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2640	75.00	25.00	0.84	2.000 - 2.200
2	BH-2641	75.00	25.00	1.05	2.300 - 2.500


MOULDING TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2645	75.00	25.00	1.10	2.300 - 2.500




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2102	18.00	40.00	0.60	0.900 - 1.000
2	BH-2103	18.00	40.00	0.75	1.000 - 1.200
3	BH-2104	18.00	40.00	0.75	1.200 - 1.400



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2107	18.00	40.00	0.60	0.900 - 1.000
2	BH-2108	18.00	40.00	0.75	1.000 - 1.200
3	BH-2109	18.00	40.00	0.75	1.200 - 1.400




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2112	18.00	40.00	0.70	1.100 - 1.300
2	BH-2113	18.00	40.00	0.85	1.300 - 1.500
3	BH-2114	18.00	40.00	1.00	1.500 - 1.700



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2020	18.00	52.00	0.75	1.200 - 1.400
2	BH-2021	18.00	52.00	0.90	1.500 - 1.700
3	BH-2022	18.00	52.00	1.05	1.700 - 1.900




MATTING SECTION



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2030	40.00	18.00	0.67	0.900 - 1.100

HANDLE


SLIDING WINDOW 18 x 50 mm



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2320	18.30	50.00	0.96	1.500 - 1.650




I/L WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2325	18.30	50.00	0.90	1.700 - 1.900

HANDLE - SQ




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2300	18.00	60.00	1.00	1.800 - 2.000
2	BH-2299	18.00	60.00	1.15	2.000 - 2.300
3	BH-2301	18.00	60.00	0.89	1.400 - 1.500

I/L - SQ




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2311	60.00	18.00	0.90	2.000 - 2.200
2	BH-2310	60.00	18.00	1.10	2.300 - 2.500
3	BH-2302	60.00	18.00	0.6	1.500 - 1.600

TOP BOTTOM - SQ




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2315	18.00	60.00	1.00	1.800 - 2.000
2	BH-2316	18.00	60.00	1.20	2.000 - 2.200
3	BH-2303	18.00	60.00	0.70	1.500 - 1.600

HANDLE - RD




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2340	18.00	60.00	1.00	1.700 - 1.900
2	BH-2341	18.00	60.00	1.15	1.900 - 2.100

I/L WITHOUT LEG - RD




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2345	18.00	60.00	0.90	2.000 - 2.200

TOP BOTTOM - RD




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2350	18.00	60.00	0.94	1.600 - 1.800
2	BH-2351	18.00	60.00	1.10	1.900 - 2.100
3	BH-2352	18.00	60.00	1.20	2.000 - 2.200

I/L WITH LEG - RD




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2353	18.00	60.00	0.90	1.900 - 2.100
2	BH-2354	18.00	60.00	1.10	2.300 - 2.500

I/L SANDWICH- RD



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2360	18.00	60.00	0.80	1.800 - 2.000
2	BH-2361	18.00	60.00	0.96	2.100 - 2.300


HANDLE



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1700	50.80	25.40	0.70	1.200 - 1.400
2	BH-1701	50.80	25.40	0.85	1.500 - 1.700
3	BH-1702	50.80	25.40	1.00	1.800 - 2.000




MATTING SECTION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1710	50.80	25.40	0.70	1.200 - 1.400
2	BH-1711	50.80	25.40	0.85	1.500 - 1.700
3	BH-1712	50.80	25.40	1.00	1.800 - 2.000

TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1715	50.00	25.00	1.02	1.800 - 2.000

BEARING BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1720	60.00	25.00	0.96	1.900 - 2.100
2	BH-1721	60.00	25.00	1.11	2.200 - 2.400

I/L




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1730	50.00	25.00	0.92	1.800 - 2.000
2	BH-1731	50.00	25.00	1.20	2.300 - 2.500

MIDDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1740	75.00	25.00	0.65	1.600 - 1.800
2	BH-1741	75.00	25.00	0.79	1.900 - 2.100
3	BH-1742	75.00	25.00	1.04	2.400 - 2.600

HANDLE




NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2096	38.00	20.00	0.80	0.900-1.100
2	BH-2097	38.00	20.00	1.00	1.200-1.400
3	BH-2098	38.00	20.00	1.20	1.400-1.600
4	BH-2501	38.00	20.00	1.50	1.900-2.200

TOP BOTTOM




NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2502	41.00	20.00	0.70	0.900-1.100
2	BH-2503	41.00	20.00	1.00	1.200-1.400
3	BH-2504	41.00	20.00	1.20	1.400-1.600
4	BH-2505	41.00	20.00	1.50	1.900-2.200


INTER LOCK



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2099	38.00	20.00	0.70	1.100-1.300
2	BH-2506	38.00	20.00	1.00	1.300-1.500
3	BH-2507	38.00	20.00	1.20	1.700-1.900
4	BH-2508	38.00	20.00	1.50	1.900-2.300




TWO TRACK TOP



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2080	62.00	20.00	0.70	1.400-1.600
2	BH-2081	62.00	20.00	1.00	1.700-1.900
3	BH-2082	62.00	20.00	1.20	2.300-2.500
4	BH-2083	62.00	20.00	1.50	2.800-3.00


TWO TRACK BOTTOM



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2085	62.00	32.00	0.80	1.600-1.880
2	BH-2086	62.00	32.00	1.00	1.900-2.100
3	BH-2087	62.00	32.00	1.20	2.400-2.600
4	BH-2088	62.00	32.00	1.50	3.00-3.200




THREE TRACK TOP




NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2090	92.00	32.00	0.80	2.100-2.300
2	BH-2091	92.00	32.00	0.90	2.300-2.600
3	BH-2092	92.00	32.00	1.00	2.700-2.900
4	BH-2093	92.00	32.00	1.20	3.00-3.200
5	BH-2094	92.00	32.00	1.50	3.800-4.00

THREE TRACK BOTTOM




NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2095	62.00	32.00	0.80	2.300-2.500
2	BH-2509	62.00	32.00	0.90	2.500-2.800
3	BH-2510	62.00	32.00	1.00	2.800-3.00
4	BH-2511	62.00	32.00	1.20	3.100-3.300
5	BH-2512	62.00	32.00	1.50	4.100-4.400

TWO TRACK TOP



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2001	62.00	31.80	0.65	1.200 - 1.400
2	BH-2002	62.00	31.80	0.87	1.600 - 1.800
3	BH-2003	62.00	31.80	0.95	1.800 - 2.000
4	BH-2004	62.00	31.80	1.15	2.200 - 2.500
5	BH-2005	62.00	31.80	1.30	2.500 - 2.800

TWO TRACK BOTTOM





NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2006	62.00	31.80	0.60	1.400 - 1.600
2	BH-2008	62.00	31.80	0.80	1.800 - 2.000
3	BH-2007	62.00	31.80	0.94	2.000 - 2.200
4	BH-2009	62.00	31.80	1.00	2.300 - 2.500
5	BH-2010	62.00	31.80	1.20	2.600 - 2.800

THREE TRACK TOP



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2051	92.15	31.80	0.70	1.600 - 1.800
2	BH-2011	92.15	31.80	0.84	2.100 - 2.400
3	BH-2052	92.15	31.80	0.90	2.400 - 2.500
4	BH-2012	92.15	31.80	0.95	2.600 - 2.800
5	BH-2013	92.15	31.80	1.10	2.800 - 3.100

THREE TRACK BOTTOM




NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-2014	92.15	31.80	0.70	2.100 - 2.300
2	BH-2015	92.15	31.80	0.84	2.600 - 2.800
3	BH-2060	92.15	31.80	1.00	2.900 - 3.200
4	BH-2061	92.15	31.80	0.80	2.400 - 2.600
5	BH-2016	92.15	31.80	1.00	3.200 - 3.400

FOUR TRACK TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2070	122.40	31.60	1.10	3.200 - 3.500

FOUR TRACK BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2075	122.40	31.60	1.10	4.100 - 4.500

TWO TRACK TOP



NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-4201	75.00	25.00	1.05	2.000 - 2.200

TWO TRACK BOTTOM





NO.	SECTION NO.	A	B	T	WEIGHT KG / 12'
1	BH-4205	75.00	25.00	1.00	2.200 - 2.400

THREE TRACK TOP



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4210	116.00	25.00	1.15	3.200 - 3.500

THREE TRACK BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4215	116.00	25.00	1.00	3.300 - 3.600

FOUR TRACK TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4220	154.29	25.00	1.15	4.100 - 4.300

FOUR TRACK BOTTOM





NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4225	154.29	25.00	1.10	5.000 - 5.200

MOSQUITO HANDLE





NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4300	60.00	24.50	0.90	1.750 - 1.950

MOSQUITO FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4305	44.80	26.30	1.00	1.300 - 1.500
2	BH-4306	44.80	26.30	1.10	1.500 - 1.700

MOSQUITO INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4310	26.00	22.00	0.90	0.950 - 1.150
2	BH-4311	26.00	22.00	1.08	1.100 - 1.300

INVISIBLE GRILL MALE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4315	28.00	27.50	1.20	1.500 - 1.700

INVISIBLE GRILL FEMALE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4320	27.50	14.40	0.95	0.400 - 0.500

2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2500	56.50	36.00	1.01	2.500 - 2.700

3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2501	87.00	36.00	1.01	3.600 - 4.000

4 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2502	116.50	36.00	1.11	5.300 - 5.800

SGU SLIM INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2503	27.40	25.00	1.28	1.450 - 1.650

2 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2504	56.30	31.40	1.20	2.000 - 2.200

3 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2505	86.80	31.40	1.28	2.900 - 3.200

4 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2506	116.30	31.40	1.30	4.100 - 4.500

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2507	54.40	20.70	1.20	2.200 - 2.400
2	BH-2508	54.40	20.70	1.05	1.800 - 2.000

MINI CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2509	34.00	24.50	0.95	0.800 - 0.900

2 TRACK VERTICAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2550	75.70	24.80	1.20	2.800 - 3.000

2 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2551	71.80	29.80	1.40	3.500 - 3.800

3 TRACK VERTICAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2552	112.50	24.80	1.20	4.000 - 4.200

3 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2553	108.60	29.80	1.40	5.000 - 5.200

TOP AND BOTTOM SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2554	53.80	22.20	1.20	2.100 - 2.300

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2555	62.37	25.50	1.00	2.300 - 2.500

SGU SLIM INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2556	35.80	20.30	1.40	1.800 - 2.000

SGU I/L REINFORCEMENT




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2557	80.00	20.20	1.40	3.400 - 3.700

TOP TRACK GUIDE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2558	12.00	15.00	1.20	0.600 - 0.800

TRACK RAIL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2559	11.00	13.47	0.90	0.480 - 0.550

2 TRACK LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6000	64.30	45.00	1.06	3.700 - 4.100

3 TRACK LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6001	99.30	35.00	1.12	5.700 - 6.200

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6003	65.00	26.00	1.08	2.600 - 2.800

SGU DOMAL SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6050	66.00	26.00	1.00	2.200 - 2.500
2	BH-6051	66.00	26.00	1.25	2.500 - 2.800

SGU INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6052	32.60	23.70	1.30	1.600 - 1.800

SGU REINFORCEMENT




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6053	61.73	23.70	1.30	2.500 - 2.700

DOMAL CLIP



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6054	38.00	30.30	1.15	1.000 - 1.200


2 TRACK TOP



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2120	40	45	1.18	2.660




SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2122	26	66	1.04	2.300

INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2118	28.1	28.5	1.1	0.900

3 TRACK TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2121	74.97	44.98	1.11	3.800

SINGLE TRACK DOMAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6031	39.70	48.20	1.08	2.000 - 2.200

2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6032	66.30	49.91	1.20	4.000 - 4.400
2	BH-6033	66.30	49.91	1.35	4.400 - 4.800

3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6040	101.90	50.00	1.09	5.200 - 5.700
2	BH-6041	101.90	50.00	1.30	6.000 - 6.500

4 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6045	136.00	49.81	1.19	7.300 - 7.800

HALF MINI CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6046	38.20	7.70	1.15	0.600 - 0.700

DOMAL CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6048	39.00	28.70	1.20	1.000 - 1.200

DOMAL U CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6071	9.60	16.30	1.20	0.400 - 0.600

MOSQUITO CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6072	13.20	9.90	1.20	0.300 - 0.500

MEETING CAP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6073	26.60	21.50	1.21	0.700 - 0.900

CAPSULE PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6074	35.00	16.00	1.00	1.100 - 1.250

ROUND PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6075	16.00	16.00	1.00	0.450 - 0.550

ROUND PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6076	19.00	19.00	1.00	0.550 - 0.650

VENTANA 2 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6200	50.00	47.80	1.20	3.800 - 4.200

VENTANA 2 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6201	50.00	47.80	1.00	3.600 - 3.900

VENTANA 2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6202	64.40	50.50	1.30	4.300 - 4.700

VENTANA 3 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6203	85.90	47.80	1.30	6.000 - 6.500

VENTANA 3 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6204	86.30	47.50	1.20	5.300 - 5.700

VENTANA 3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6205	100.70	50.50	1.30	6.400 - 6.900

INTERLOCK SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6206	34.40	27.80	1.30	2.000 - 2.200

INTERLOCK DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6207	33.60	27.80	1.20	1.650 - 1.850

REINFORCEMENT I/L SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6208	85.00	27.80	1.28	3.700 - 4.000

REINFORCEMENT I/L DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6301	85.00	27.80	1.20	3.300 - 3.600

TOP BOTTOM SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6302	58.50	26.00	1.20	2.600 - 2.900

VENTANA CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6303	38.50	32.50	1.30	1.300 - 1.500

SLIM INTERLOCK SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6304	36.00	18.10	1.30	1.900 - 2.100

SLIM INTERLOCK DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6305	34.40	18.10	1.30	1.650 - 1.850

SLIM REINFORCEMENT SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6306	74.20	18.10	1.20	3.500 - 3.800
2	BH-6307	74.20	18.10	1.30	3.700 - 3.900

SLIM REINFORCEMENT DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6308	74.20	18.10	1.30	3.400 - 3.700

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6309	65.00	29.00	1.30	3.000 - 3.300

VENT DGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6310	65.00	29.00	1.30	2.800 - 3.200

VENTANA TRACK CAP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6311	12.80	17.40	1.00	0.550 - 0.650

MITTING CAP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6312	27.20	24.20	1.00	1.300 - 1.500

REDUCER CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6313	25.40	15.62	1.00	0.600 - 0.750

2 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6400	85.00	33.10	1.10	3.100 - 3.400

2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6401	80.80	47.60	1.10	4.700 - 5.200

3 TRACK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6402	124.70	33.10	1.10	3.900 - 4.300

3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6403	120.50	47.60	1.10	6.400 - 6.900

SGU TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6404	65.90	29.00	1.50	3.700 - 4.000

DGU TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6405	65.90	29.00	1.50	3.400 - 3.700

SGU SHUTTER



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6406	59.00	31.40	1.40	3.300 - 3.600

DGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6407	59.00	31.40	1.40	3.000 - 3.300

SLIM INTERLOCK SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6408	38.10	20.20	1.40	2.400 - 2.600

SLIM REINFORCEMENT SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6409	80.10	20.20	1.70	4.300 - 4.700

SLIM INTERLOCK DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6410	38.10	20.20	1.20	2.000 - 2.200

SLIM REINFORCEMENT DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6411	80.10	20.20	1.70	4.000 - 4.400

H TYPE ADAPTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6412	13.30	10.00	1.20	0.400 - 0.500

MITTING CAP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6413	25.96	24.20	1.00	1.400 - 1.550

2 TRACK VERTICAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6500	100.00	32.80	1.20	3.400 - 3.700

2 TRACK TOP AND BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6501	95.00	31.20	1.40	5.100 - 5.500

3 TRACK VERTICAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6502	150.00	32.80	1.20	4.700 - 5.100

3 TRACK TOP AND BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6503	145.60	31.20	1.40	7.350 - 7.800

SGU TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6504	58.00	31.70	1.50	3.400 - 3.700

DGU TOP BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6505	58.00	31.70	1.50	3.500 - 3.800

SLIM INTERLOCK SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6506	47.20	27.50	1.50	2.800 - 3.100

SLIM INTERLOCK DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6507	47.20	27.50	1.50	2.500 - 2.700

SLIM REINFORCEMENT SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6508	96.00	27.00	1.70	5.000 - 5.500

SLIM REINFORCEMENT DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6509	96.00	27.00	1.70	4.800 - 5.200

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6510	58.90	35.20	1.60	3.800 - 4.200

DGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6511	58.90	35.20	1.60	3.600 - 3.900

H TYPE ADAPTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6512	10.80	14.00	1.05	0.400 - 0.500

TRACK RAIL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6513	14.50	17.96	0.90	0.600 - 0.700

2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6701	77.01	42.62	1.35	4.850 - 5.200

2 TRACK WITH 2 LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6702	95.00	48.00	1.30	6.300 - 6.700

3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6703	122.00	42.50	1.50	7.800 - 8.000

3 TRACK WITH 2 LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6704	139.80	47.85	1.35	8.600 - 8.800

2 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6705	77.71	46.30	1.21	4.350 - 4.800

3 TRACK WITH LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6706	124.09	46.30	1.21	6.650 - 7.150

SGU INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6707	42.55	31.00	1.40	2.400 - 2.600

DGU INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6708	42.55	31.00	1.40	2.300 - 2.500

SGU I/L REINFORCEMENT




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6709	89.86	31.10	1.40	4.800 - 5.200

DGU I/L REINFORCEMENT




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6710	89.86	31.00	1.40	4.600 - 5.000

I/L CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6711	41.00	38.90	1.20	1.400 - 1.600

SGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6712	75.00	35.00	1.50	3.800 - 4.200

DGU SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-6713	75.00	35.00	1.30	3.600 - 3.900

MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7000	65.10	29.00	1.20	2.000 - 2.200

SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7001	55.50	29.00	1.20	2.000 - 2.200

OUTER FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7002	29.00	42.20	1.20	1.600 - 1.800

CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7003	22.32	16.59	1.00	0.650 - 0.750

FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7005	38.50	40.00	1.30	2.000 - 2.200

MULLIAN




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7006	53.71	40.00	1.30	2.300 - 2.500

CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7007	32.10	18.00	1.00	0.750 - 0.850

BIG MULLIAN




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7010	70.50	40.50	1.40	3.200 - 3.600

SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7011	62.50	40.20	1.05	2.600 - 2.800

SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7012	51.20	40.00	1.00	2.200 - 2.500

2 IN 1 FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7015	79.50	48.00	1.10	3.300 - 3.600

3 IN 1 FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7020	114.00	48.00	1.10	4.400 - 4.800

2 IN 1 MIDDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7025	79.50	70.20	1.10	4.000 - 4.400

3 IN 1 MIDDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7030	92.20	70.20	1.03	4.000 - 4.400

SINGLE FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7040	46.00	50.00	1.25	2.900 - 3.200

BIG FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7050	73.20	50.00	1.45	3.700 - 4.000

SINGLE MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7051	66.00	50.00	1.50	3.600 - 3.900

MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7060	90.00	50.00	1.50	4.300 - 4.700

DOOR SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7061	78.50	58.00	1.25	4.000 - 4.400

OUTER SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7062	92.50	58.00	1.50	4.700 - 5.100

FLYING MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7063	66.00	56.60	1.50	2.500 - 2.700

REVERSE ADP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7064	49.50	50.00	1.50	1.800 - 2.000

DOOR BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7065	100.00	50.00	1.50	6.000 - 6.500

COMBINATION FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7066	85.80	45.90	1.40	4.300 - 4.700

INSIDE SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	B-7067	75.00	58.00	1.45	5.000 - 5.500

DOOR BOTTOM ADP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	B-7068	56.10	34.00	1.10	1.600 - 1.800

CLIP SGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7069	32.00	25.50	1.20	1.100 - 1.300

CLIP DGU




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7070	19.24	25.50	1.20	0.800 - 0.900

GLASS CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7071	21.70	25.50	1.13	0.800 - 1.000

FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7072	52.00	44.50	1.40	3.100 - 3.400

SHUTTER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7073	65.90	52.00	1.40	3.500 - 3.800

MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7074	66.00	52.00	1.40	3.500 - 3.800

BIG MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7075	95.00	52.00	1.40	4.500 - 4.900

SGU CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7076	30.95	25.91	1.10	1.050 - 1.200

DGU CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7077	30.95	26.05	1.10	0.900 - 1.100

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7078	65.00	55.00	2.00	5.700 - 8.200

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7079	80.00	55.00	2.00	6.100 - 6.600

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7080	100.00	55.00	2.00	7.100 - 7.600

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7081	116.00	55.00	2.00	8.500 - 9.000

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7082	130.00	55.00	2.00	9.000 - 9.500

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7083	155.00	55.00	2.00	10.000 - 11.000

SPACER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7084	51.80	13.03	2.50	1.900 - 2.100

COVER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7085	55.00	19.00	1.50	1.450 - 1.650

SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7086	42.50	20.00	1.50	1.950 - 2.150

SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7087	44.00	39.50	1.50	2.550 - 2.750

SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7088	37.27	40.66	1.50	1.700 - 1.900

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7089	116.00	57.00	2.00	7.500 - 8.000

HALF MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7090	116.00	34.35	1.80	5.900 - 6.400

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7091	77.70	57.00	1.85	5.500 - 6.000

SPACER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7092	53.00	9.80	1.60	1.500 - 1.700

COVER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7093	57.00	18.30	1.15	1.200 - 1.400

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7094	131.50	67.00	2.00	8.100 - 8.600

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7095	131.50	67.00	2.00	8.700 - 9.200

HALF MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7096	131.50	38.75	1.80	6.200 - 6.700

CURTAIN WALL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7097	81.20	67.00	1.90	5.900-6.400

HALF MULLION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7098	81.20	38.75	1.80	4.400-4.600

SPACER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7099	63.50	9.03	2.00	1.550 - 1.750

COVER PLATE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7100	67.00	18.00	1.50	1.500 - 1.700

67MM SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7101	65.30	27.50	1.20	1.900 - 2.100

67MM SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7102	67.10	27.50	1.40	2.300 - 2.500

67MM SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7103	51.50	27.50	1.40	2.000 - 2.200

67MM SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7104	27.00	20.00	1.25	1.200 - 1.400

67MM TONGLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7105	31.00	7.70	2.00	0.700 - 0.900

67MM TONGLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7106	7.00	16.10	2.10	0.500 - 0.700

67MM SASH




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7107	67.10	27.50	1.40	2.700 - 2.900

MALE PROFILE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7501	34.90	25.80	1.70	2.100 - 2.300

FEMALE PROFILE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	VH-7502	29.00	20.00	1.60	1.100 - 1.200

MALE PROFILE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	VH-7503	34.50	25.00	1.00	1.050 - 1.150

FEMALE PROFILE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-7504	32.60	20.00	1.00	1.000 - 1.100

35MM G HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3002	35.00	20.40	1.20	1.100 - 1.200

45MM FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3003	45.00	21.80	1.00	1.200 - 1.300

45MM FRAMELESS




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3006	45.00	19.00	1.10	1.150 - 1.250

67MM HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3004	67.00	21.80	1.10	1.700 - 1.850

67MM FRAMELESS




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3007	67.00	19.00	1.00	1.550 - 1.700

78MM HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3008	77.80	22.00	1.00	2.050 - 2.250

GLASS FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3009	45.00	20.00	1.10	1.250 - 1.350

HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3010	69.00	20.90	1.10	1.550 - 1.700

GLASS G-BOX




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3015	21.10	39.00	2.00	2.000 - 2.200

GLASS INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3016	21.10	43.00	2.00	2.000 - 2.200

GLASS CORNER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3017	26.50	18.40	2.60	1.500 - 1.700

GLASS INTERLOCK




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3018	21.10	22.00	2.00	1.400 - 1.600

G CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3019	36.50	23.60	1.15	1.300 - 1.500

GLASS SS



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3020	22.00	20.00	1.15	1.000 - 1.200

45MM FRAME PROFILE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3005	45.00	35.00	1.02	1.400 - 1.550

HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3001	49.50	20.50	0.85	1.200 - 1.250

GLASS FIX - H TYPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3021	16.00	17.00	2.55	0.800 - 1.000

GLASS FIX - H TYPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3022	19.80	17.60	1.30	1.000 - 1.200

13MM U GLASS




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3023	18.40	18.40	2.60	1.100 - 1.300

U TYPE CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3024	16.50	16.50	2.80	0.900 - 1.000

U TYPE CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3025	19.80	16.80	1.10	1.000 - 1.200

U TYPE CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3026	16.00	17.00	1.40	0.800 - 0.900

I TYPE CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3027	16.50	16.50	1.40	0.900 - 1.000

I TYPE CLIP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3028	18.40	18.40	2.80	1.200 - 1.300

RAILING HANDLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8002	70	35	1.5	4.35

VERTICAL FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3029	16.50	16.50	2.80	0.900 - 1.000

HORIZONTAL FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3030	19.80	16.80	1.10	1.000 - 1.200

INTERNAL PARTITION




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3031	16.00	17.00	1.40	0.800 - 0.900

VERTICAL LEG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8004	16.50	16.50	2.80	0.900 - 1.000

VERTICAL FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8005	16.50	16.50	2.80	0.900 - 1.000

MIDDLE FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8006	19.80	16.80	1.10	1.000 - 1.200

HORIZONTAL FRAME




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8007	16.00	17.00	1.40	0.800 - 0.900

CIRCLIP TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8008	67.00	71.10	8.00	15.500 - 16.000

50 MM RAILING TOP - RD




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8009	50.00	47.70	1.50	3.000 - 3.300

80MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8010	80.00	28.00	1.40	4.400 - 4.800

25MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8011	25.40	25.40	1.80	1.900 - 2.100

40MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8012	40.00	40.00	1.50	2.900 - 3.200

50MM RAILING TOP - SQ




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8013	50.00	50.00	1.20	3.000 - 3.300

66MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8014	66.00	38.60	1.85	4.400 - 4.700

65MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8015	65.00	40.00	1.50	4.000 - 4.400

82MM RAILING TOP




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8016	82.00	38.00	1.40	3.900 - 4.300

80MM RAILING BOTTOM




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8017	37.00	80.00	6.00	10.500 - 11.000

71MM RAILING BOTTOM



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8018	56.00	71.00	2.00	9.600 - 10.000

H LONG




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8019	33.90	9.00	2.00	1.000 - 1.200

Technical drawing of a rectangular frame with dimensions and tolerances. The overall width is 31 and the overall height is 120. The frame has a central rectangular opening. The left and right vertical members have a width of 2.5. The top and bottom horizontal members have a height of 2.2. The frame is composed of several segments with different radii: R2 on the left, R3.6 on the right, and R4 at the bottom corners. The bottom horizontal member has a width of 60 and a height of 6. The left vertical member has a height of 68. The right vertical member has a height of 68. The frame is shown with various tolerances and fit symbols, including ± 0.1 , ± 0.2 , ± 0.3 , ± 0.4 , ± 0.5 , ± 0.6 , ± 0.7 , ± 0.8 , ± 0.9 , ± 1.0 , ± 1.2 , ± 1.5 , ± 2.0 , ± 2.5 , ± 3.0 , ± 4.0 , ± 5.0 , ± 6.0 , ± 8.0 , ± 10.0 , ± 12.0 , ± 15.0 , ± 20.0 , ± 25.0 , ± 30.0 , ± 40.0 , ± 50.0 , ± 60.0 , ± 80.0 , ± 100.0 , ± 120.0 , ± 150.0 , ± 200.0 , ± 250.0 , ± 300.0 , ± 400.0 , ± 500.0 , ± 600.0 , ± 800.0 , ± 1000.0 , ± 1200.0 , ± 1500.0 , ± 2000.0 , ± 2500.0 , ± 3000.0 , ± 4000.0 , ± 5000.0 , ± 6000.0 , ± 8000.0 , ± 10000.0 , ± 12000.0 , ± 15000.0 , ± 20000.0 , ± 25000.0 , ± 30000.0 , ± 40000.0 , ± 50000.0 , ± 60000.0 , ± 80000.0 , ± 100000.0 , ± 120000.0 , ± 150000.0 , ± 200000.0 , ± 250000.0 , ± 300000.0 , ± 400000.0 , ± 500000.0 , ± 600000.0 , ± 800000.0 , ± 1000000.0 , ± 1200000.0 , ± 1500000.0 , ± 2000000.0 , ± 2500000.0 , ± 3000000.0 , ± 4000000.0 , ± 5000000.0 , ± 6000000.0 , ± 8000000.0 , ± 10000000.0 , ± 12000000.0 , ± 15000000.0 , ± 20000000.0 , ± 25000000.0 , ± 30000000.0 , ± 40000000.0 , ± 50000000.0 , ± 60000000.0 , ± 80000000.0 , ± 100000000.0 , ± 120000000.0 , ± 150000000.0 , ± 200000000.0 , ± 250000000.0 , ± 300000000.0 , ± 400000000.0 , ± 500000000.0 , ± 600000000.0 , ± 800000000.0 , ± 1000000000.0 , ± 1200000000.0 , ± 1500000000.0 , ± 2000000000.0 , ± 2500000000.0 , ± 3000000000.0 , ± 4000000000.0 , ± 5000000000.0 , ± 6000000000.0 , ± 8000000000.0 , ± 10000000000.0 , ± 12000000000.0 , ± 15000000000.0 , ± 20000000000.0 , ± 25000000000.0 , ± 30000000000.0 , ± 40000000000.0 , ± 50000000000.0 , ± 60000000000.0 , ± 80000000000.0 , ± 100000000000.0 , ± 120000000000.0 , ± 150000000000.0 , ± 200000000000.0 , ± 250000000000.0 , ± 300000000000.0 , ± 400000000000.0 , ± 500000000000.0 , ± 600000000000.0 , ± 800000000000.0 , ± 1000000000000.0 , ± 1200000000000.0 , ± 1500000000000.0 , ± 2000000000000.0 , ± 2500000000000.0 , ± 3000000000000.0 , ± 4000000000000.0 , ± 5000000000000.0 , ± 6000000000000.0 , ± 8000000000000.0 , ± 10000000000000.0 , ± 12000000000000.0 , ± 15000000000000.0 , ± 20000000000000.0 , ± 25000000000000.0 , ± 30000000000000.0 , ± 40000000000000.0 , ± 50000000000000.0 , ± 60000000000000.0 , ± 80000000000000.0 , ± 100000000000000.0 , ± 120000000000000.0 , ± 150000000000000.0 , ± 200000000000000.0 , ± 250000000000000.0 , ± 300000000000000.0 , ± 400000000000000.0 , ± 500000000000000.0 , ± 600000000000000.0 , ± 800000000000000.0 , ± 1000000000000000.0 , ± 1200000000000000.0 , ± 1500000000000000.0 , ± 2000000000000000.0 , ± 2500000000000000.0 , ± 3000000000000000.0 , ± 4000000000000000.0 , ± 5000000000000000.0 , ± 6000000000000000.0 , ± 8000000000000000.0 , ± 10000000000000000.0 , ± 12000000000000000.0 , ± 15000000000000000.0 , ± 20000000000000000.0 , ± 25000000000000000.0 , ± 30000000000000000.0 , ± 40000000000000000.0 , ± 50000000000000000.0 , ± 60000000000000000.0 , ± 80000000000000000.0 , ± 100000000000000000.0 , ± 120000000000000000.0 , ± 150000000000000000.0 , ± 200000000000000000.0 , ± 250000000000000000.0 , ± 300000000000000000.0 , ± 400000000000000000.0 , ± 500000000000000000.0 , ± 600000000000000000.0 , ± 800000000000000000.0 , $\pm 1000000000000000000.0$, $\pm 1200000000000000000.0$, $\pm 1500000000000000000.0$, $\pm 2000000000000000000.0$, $\pm 2500000000000000000.0$, $\pm 3000000000000000000.0$, $\pm 4000000000000000000.0$, $\pm 5000000000000000000.0$, $\pm 6000000000000000000.0$, $\pm 8000000000000000000.0$, ± 10000000000000000

NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8001	60	120	2.50	16.50


NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-8020	68.00	66.50	1.20	6.600 - 7.100

3" OVAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2903	75.00	25.00	1.10	1.800 - 2.100

4" OVAL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2904	100.00	25.00	1.00	2.500 - 2.800

2.5" LOUVER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2905	64.43	10.64	1.00	0.700 - 0.900

3" LOUVER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2906	76.90	27.46	1.00	1.000 - 1.200

HALF ROUND LOUVER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2907	52.98	15.00	0.80	0.800 - 0.900

HALF ROUND LOUVER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2908	74.60	12.60	1.00	1.000 - 1.100
2	BH-2909	74.60	12.60	1.20	1.200 - 1.300

RECTANGULAR LADDER




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4010	73.20	25.30	1.50	2.600 - 2.800

72X25 LADDER



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4011	85.20	25.40	1.40	2.800 - 3.000

CROSS LADDER



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4012	99.50	35.00	1.30	3.000 - 3.200

FLOUTED RECTANGULAR TUBE/LEATHER BOX




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4002	50.00	20.30	0.78	1.08

FLOUTED BABY STEP



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-4001	78.50	30.00	0.95	1.41

FLOUTED C LADDER



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-5002	62.40	31.00	1.75	1.94

ROUND PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2301	49.80	46.10	1.85	2.700 - 2.900
2	BH-2300	38.00	38.00	1.00	1.100 - 1.200

FLUTED ROUND TUBE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2304	50.20	46.00	2.10	2.500 - 2.700

U CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3200	9.50	9.50	0.80	0.200 - 0.250

U CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3201	12.00	12.00	0.80	0.260 - 0.300

U CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3202	19.00	24.80	1.40	0.900 - 1.100

SLIDING CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3203	33.30	32.20	1.60	1.700 - 2.000

T PATTI




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3204	19.00	19.00	0.80	0.300 - 0.400

BULB T




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3205	25.00	25.00	1.20	0.600 - 0.800

J CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3206	38.00	17.50	2.00	1.700 - 1.800

J CHANNEL




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3207	43.30	29.00	2.00	2.600 - 2.800

PESTING PATTI




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3208	16.70	3.70	3.20	0.500 - 0.600

H SLOT




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3209	69.00	19.00	2.00	1.900 - 2.100

40MM COMBO PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3210	98.00	25.00	1.30	3.800 - 4.200

40MM COMBO PIPE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-3211	60.00	25.00	1.30	2.800 - 3.100

EQUAL ANGLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2801	19.00	19.00	2.00	0.700 - 0.900
2	BH-2802	38.00	38.00	1.90	1.300 - 1.500
3	BH-2201	38.00	38.00	2.80	2.100 - 2.300
4	BH-2804	50.00	50.00	2.80	2.800 - 3.000
5	BH-2202	25.00	25.00	2.80	0.900 - 1.100
6	BH-2805	25.00	25.00	2.80	0.900 - 1.000
7	BH-2806	30.00	30.00	2.80	1.050 - 1.200
8	BH-2807	30.00	30.00	2.80	1.600 - 1.700
9	BH-2808	40.00	40.00	2.80	1.400 - 1.550
10	BH-2812	50.00	50.00	2.80	1.800 - 2.000
11	BH-2813	75.00	75.00	2.80	4.000 - 4.400

UNEQUAL ANGLE




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2126	38.00	25.00	1.45	1.100 - 1.500
2	BH-2127	38.00	25.00	1.50	1.250 - 1.350
3	BH-2128	38.00	25.00	1.80	1.500 - 1.600
4	BH-2129	38.00	25.00	1.20	1.900 - 2.000

FLAT BAR




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH 1008	25.00	10.00	3.00	2.45
2	BH 1012	40.00	10.00	5.00	3.85
3	BH 1015	50.00	3.15	3.00	1.55
4	BH 1016	50.00	6.00	3.00	3.00
5	BH 1020	60.00	10.00	3.00	5.85
6	BH-1023	75.00	10.00	3.00	7.40
7	BH-1024	75.00	12.00	3.00	8.80
8	BH-1025	80.00	10.00	3.00	7.90
9	BH-1028	100.00	6.00	3.00	5.90
10	BH-1029	100.00	10.00	3.00	9.85
11	BH-1030	125.00	6.00	3.00	7.40
12	BH-1032	100.00	12.50	3.00	12.30
13	BH-1038	125.00	12.10	3.00	14.90
14	BH-1050	50.00	10.00	3.00	4.85
15	BH-1056	80.00	12.00	3.00	14.90
16	BH-1057	100.00	50.00	3.00	4.85
17	BH-1058	125.00	10.00	3.00	12.20

FLAT PATTI




NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2900	18.40	2.90	2.35	0.450 - 0.550

TENT HORIZONTAL BRACKET



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-1901	70.00	70.00	3.00	9.900 - 10.500

TENT CLIP



NO.	SECTION NO.	W	H	T	WEIGHT KG / 12'
1	BH-2902	54.66	19.80	1.80	1.700 - 1.900