





## ABOUT US

At BanuHashim Aluminium, we take pride in crafting top-quality aluminium extrusions that serve a wide range of industries—from automotive and construction to aerospace and beyond. Our products are designed to be strong, lightweight, and built to last.

With a skilled team and modern equipment, we focus on precision and durability in every profile we create. But more than that, we're committed to understanding your needs and delivering solutions that truly fit your project goals.

We value long-term partnerships and believe in innovation that not only meets industry standards but also respects our planet through sustainable practices.

---

## MISSION

At BanuHashim Aluminium, our mission is to craft aluminium solutions that combine strength, precision, and innovation. We aim to support our customers by delivering products that help them build better, smarter, and more sustainable projects — all while keeping quality and trust at the heart of everything we do.

## VISION

The vision of BanuHashim Aluminium is to grow as a trusted name in the aluminium extrusion industry—one that's known not just for great products, but for building lasting partnerships, embracing cutting-edge technology, and caring for the environment as we shape the future together.


# INDEX

TOPIC	PAGE NO.
MISCELLANEOUS	3-6
DOUBLE PARTITION	7
CURTAIN WALL DOUBLE LIP	8-13
GLAZING CLIP	14
16 MM GLASS SECTION	15
HALF GLASS SECTIONS	15
WINDOW SECTIONS HOLLOW GLASS SECTIONS	16
HOLLOW GLASS SECTIONS	16
2TRACK TOP	17
2TRACK BOTTOM	17
3TRACK TOP	18
3 TRACK BOTTOM	18
3TRACK TOP	18
2TRACK TOP	19
2 TRACK BOTTOM	19
3TRACK BOTTOM	20
1" 3 TRACK TOP	20
2 TRACK TOP HOLLOW	21
18MM HANDLE	21
18 MM TOP BOTTOM	22
18 MM INTERLOCK	23
TOP BOTTOM	23
DOMAL CLIP	24
DOMAL SHUTTER	24
DOMAL SINGLE TRACK TOP WINDOW	25
DOMAL 2 TRACK DOMAL TOP	25
DOMAL SHUTTER	26
2/1 HANDLE	26
MIDDEL	27
ANGLE	27
MULLION	28
MOLLION Z CLIP	28
INDUSTRIAL PROFILE	29
DOMAL 2 TRACK TOP	30
INDUSTRIAL PROFILE	30



**FLAT**

**BAR**




SECTION NO	A	T	WEIGHT KG \ 12'
1001	19.00	2.000	0.300 TO 0.400
1002	19.00	2.900	0.535 TO 0.585
1003	19.00	6.000	1.120 TO 1.230
1004	25.00	1.600	0.390 TO 0.440
1005	25.00	2.000	0.450 TO 0.550
1006	25.00	2.900	0.710 TO 0.780
1007	25.00	6.200	1.520 TO 1.680
1008	25.00	10.00	2.450 TO 2.700
1009	25.00	12.00	2.950 TO 3.300
1010	31.00	6.000	1.800 TO 2.000
1011	38.00	2.950	1.050 TO 1.250
1012	40.00	10.00	3.900 TO 4.250
1013	40.00	6.000	2.300 TO 2.500
1014	40.00	12.00	4.600 TO 4.800
1015	50.00	3.150	1.550 TO 1.800
1016	50.00	6.100	3.000 TO 3.300
1017	50.00	8.000	3.900 TO 4.100
1018	50.00	12.10	5.950 TO 6.500
1019	55.00	6.100	3.200 TO 3.500
1020	60.00	10.00	5.900 TO 6.300
1021	65.00	6.000	3.750 TO 4.750
1022	75.00	6.000	4.400 TO 4.800
1023	75.00	10.00	7.400 TO 7.800
1024	75.00	12.00	8.800 TO 9.100
1025	80.00	10.00	7.900 TO 8.300
1026	80.00	25.00	19.00 TO 20.30
1027	100.0	4.000	3.800 TO 4.100
1028	100.0	6.000	5.900 TO 6.500
1029	100.0	10.00	9.850 TO 10.40



**FLAT**


**BAR**



SECTION NO	A	T	WEIGHT KG \ 12'
1030	125.0	6.000	7.400 TO 7.800
1031	100.0	12.00	11.80 TO 12.50
1032	100.0	12.50	12.30 TO 12.80
1033	100.0	16.00	15.80 TO 16.30
1034	110.0	6.000	6.500 TO 6.900
1035	100.0	20.00	19.70 TO 20.30
1036	100.0	25.00	24.40 TO 25.20
1037	125.0	4.000	4.800 TO 5.100
1038	125.0	12.10	14.90 TO 15.50
1039	150.0	12.00	17.40 TO 18.00
1040	152.0	6.000	9.000 TO 9.500
1041	152.0	10.00	14.90 TO 15.60
1042	152.0	12.00	17.90 TO 18.70
1043	32.00	12.00	3.700 TO 4.000
1044	20.00	6.000	1.100 TO 1.250
1045	20.00	10.00	1.900 TO 2.100
1046	30.00	6.00	1.700 TO 1.850
1047	30.00	10.00	2.900 TO 3.000
1048	30.00	12.00	3.450 TO 3.600
1049	40.00	3.000	1.100 TO 1.300
1050	50.00	10.00	4.850 TO 5.050
1051	63.00	6.000	3.500 TO 3.800
1052	63.00	10.00	6.100 TO 6.350
1053	63.00	12.00	7.350 TO 7.600
1054	80.00	6.000	4.500 TO 4.850
1055	70.00	12.00	8.300 TO 8.600



**MISCELLANEOUS**




SECTION NO	A	T	WEIGHT KG \ 12'
1101	25	2.5	0.660 TO 0.740



**SQUARE**

**TUBE**




SECTION NO	A	T	WEIGHT KG \ 12'
1201	36.00	0.75	1.050 TO1.200
1202	36.00	0.95	1.300 TO1.400
1203	50.80	0.80	1.700 TO1.800
1204	50.80	1.00	1.950 TO2.200
1205	50.80	1.50	2.900 TO3.250
1206	50.80	1.90	3.700 TO4.000



**RECTANGLE**

**TUBE**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1301	50.00	25.00	0.66	0.950 TO 1.050
1302	50.00	25.00	0.87	1.250 TO 1.400
1303	50.00	25.00	1.00	1.450 TO 1.600
1304	50.40	25.00	1.18	1.700 TO 2.000
1305	50.40	25.50	1.30	2.000 TO 2.300
1306	50.80	25.40	1.65	2.400 TO 2.650
1307	50.00	38.00	1.80	2.900 TO 3.200
1308	62.00	36.00	0.72	1.400 TO 1.550
1309	62.00	36.00	0.92	1.800 TO 2.000
1310	62.00	36.00	1.05	2.050 TO 2.300
1311	62.00	36.00	1.50	2.900 TO 3.250
1312	62.00	36.00	2.00	3.700 TO 4.000
1313	70.00	35.00	1.40	2.800 TO 3.100
1314	75.00	25.00	2.00	3,700 TO 4.000
1315	75.00	12.00	1.50	2.400 TO 2.600
1316	75.00	50.00	1.70	4.000 TO 4.200
1317	101.2	44.45	1.25	3.500 TO 3.800




**SINGLE**

**PARTITION**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1401	50.00	25.00	0.70	1.100 TO 1.300
1402	62.00	36.00	0.80	1.700 TO 1.950
1403	62.00	36.00	0.90	2.000 TO 2.300
1404	62.00	36.00	1.15	2.400 TO 2.600
1405	62.00	36.00	1.30	2.750 TO 3.000
1406	62.00	36.00	1.50	3.200 TO 3.500
1407	62.00	36.00	1.90	3.700 TO 4.100
1408	101.6	44.45	1.20	3.500 TO 3.800
1409	101.2	44.45	1.50	4.400 TO 4.800
1410	101.2	44.45	1.90	5.500 TO 5.900

**DOUBLE PARTITION**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1501	50.00	25.00	0.70	1.100 TO 1.300
1502	62.00	36.00	0.80	1.700 TO 1.950
1503	62.00	36.00	0.90	2.000 TO 2.300
1504	62.00	36.00	1.15	2.450 TO 2.650
1505	62.00	36.00	1.30	2.750 TO 3.000
1506	62.00	36.00	1.50	3.250 TO 3.550
1507	62.00	36.00	1.90	3.700 TO 4.100
1508	101.6	44.45	1.20	3.600 TO 4.000
1509	101.2	44.45	1.50	4.400 TO 4.800
1510	101.2	44.45	1.90	5.600 TO 6.000



**CURTAIN WALL DOUBLE LIP**

**DOOR SECTION**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1601	45.00	45.00	1.00	2.200 TO 2.400
1602	45.00	45.00	1.33	2.700 TO 3.100
1603	45.00	45.00	1.94	3.500 TO 4.000



**CURTAIN WALL SINGLE LIP**


**DOOR SECTION**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1604	64.00	57.50	1.50	3.800 TO 4.300
1605	64.00	57.50	2.00	4.500 TO 5.000

**CURTAIN WALL DOUBLE LIP**


**DOOR SECTION**



SECTION NO	A	B	C	D	T	T1	WEIGHT KG \ 12'
1606	64.00	57.50	14.30	11.00	1.75	2.25	5.500 TO 5.900
1607	64.00	57.50	14.30	11.00	2.25	2.25	6.400 TO 6.800
1608	101.6	57.00	14.30	15.00	2.25	2.25	7.900 TO 8.400
1609	115.90	57.00	14.30	15.00	3.00	4.00	10.13 TO 12.38


**CURTAIN WALL SINGLE LIP**

**DOOR SECTION**



SECTION NO	A	B	C	T	WEIGHT KG \ 12'
1610	45.00	45.00	3.00	1.30	2.400 TO 2.600

**HALF CURTAIN WALL**




SECTION NO	A	B	C	WEIGHT KG \ 12'
1611	52.00	20.00	1.50	1.350 TO 1.450






**DOOR TOP**

**DOOR SECTION**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1801	47.00	44.50	0.97	1.850 TO 2.000
1802	47.00	47.00	1.43	2.700 TO 3.000
1803	47.00	47.00	2.00	3.550 TO 3.850
1804	47.00	44.50	3.00	5.100 TO 5.300

**DOOR BOTTOM**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1805	95.00	44.50	0.93	2.700 TO 3.000
1806	100.0	44.50	1.18	3.500 TO 3.800
1807	100.0	44.50	1.81	5.000 TO 5.400
1808	114.0	44.50	2.00	6.500 TO 6.900
1809	100.0	44.50	2.45	7.100 TO 7.600
1810	100.0	44.50	2.90	8.300 TO 8.800




**DOOR VERTICAL**

**DOOR SECTION**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1811	48.00	44.50	0.88	1.100 TO 1.100
1812	48.00	44.50	1.10	1.300 TO 1.400
1813	48.00	44.50	1.40	1.600 TO 1.750
1814	48.00	44.50	1.80	2.000 TO 2.150
1815	85.00	44.50	1.96	3.000 TO 3.200
1816	85.00	44.50	3.00	4.500 TO 4.900

**DOMAL PROFILE**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1817	32.50	33.00	1.00	1.300 to 1.400



**GLAZING CLIP**

**DOOR SECTIONS**




SECTION NO	A	B	T	WEIGHT KG \ 12'
1818	19.00	17.30	0.40	0.220 TO 0.250
1819	19.00	17.30	0.55	0.260 TO 0.290




**16 MM GLASS SECTION**

**WINDOW SECTIONS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1901	88.00	40.00	1.58	7.400 TO 7.900
1902	88.00	40.00	2.40	8.900 TO 9.400

**HALF GLASS SECTIONS**




NO	A	B	T	WEIGHT KG \ 12'
1903	39.60	31.50	2.00	4.900 TO 5.100




**WINDOW SECTIONS**

**HOLLOW GLASS SECTIONS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
1904	88.00	40.00	1.75	4.500 TO 5.500

**HOLLOW GLASS SECTIONS**




NO	A	B	T	WEIGHT KG \ 12'
1905	88.00	40.00	1.75	4.790 TO 5.860



**SECTION  
2TRACK TOP**


**TRACKS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2001	62.00	31.50	0.75	1.500 TO 1.650
2002	62.00	31.50	0.84	1.650 TO 1.900
2003	62.00	31.50	1.10	2.000 TO 2.300
2004	62.00	31.50	1.30	2.600 TO 3.000
2005	62.00	31.50	1.50	3.000 TO 3.300

**2TRACK BOTTOM**

SECTION




NO	A	B	T	WEIGHT KG \ 12'
2006	62.00	31.50	0.64	1.500 TO 1.650
2007	62.00	31.50	0.73	1.650 TO 1.900
2008	62.00	31.50	1.00	2.100 TO 2.400
2009	62.00	31.50	1.22	2.600 TO 3.000
2010	62.00	31.50	1.40	3.000 TO 3.300




**3TRACK TOP**

**TRACKS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2011	92.00	31.50	0.85	1.800 TO 1.900
2012	92.00	31.50	1.04	2.600 TO 3.000
2013	92.00	31.50	1.45	3.700 TO 4.100


**3 TRACK BOTTOM**



NO	A	B	T	WEIGHT KG \ 12'
2014	62.00	31.50	0.75	1.900 TO 2.000
2015	62.00	31.50	0.92	2.700 TO 3.100
2016	62.00	31.50	1.28	3.700 TO 4.100

**2TRACK TOP**


**TRACKS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2017	62.00	30.00	1.00	1.800 TO 2.000
2018	62.00	30.00	1.00	2.000 TO 2.200
2019	62.00	30.00	1.36	2.700 TO 3.000

**2 TRACK BOTTOM**


**BOTTAM**



NO	A	B	T	WEIGHT KG \ 12'
2020	62.00	30.00	0.90	1.800 TO 2.000
2021	62.00	30.00	0.90	2.100 TO 2.300
2022	62.00	30.00	1.20	2.800 TO 3.100


**3TRACK BOTTOM**

**TRACKS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2023	92.36	29.70	1.05	3.400 TO 3.700

**1" 3 TRACK TOP**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2024	92.36	29.70	1.05	2.900 TO 3.200



**2 TRACK TOP HOLLOW**


**TRACKS**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2025	62.50	31.50	1.30	3.200 TO 3.300

**18MM HANDLE**


**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2101	40.00	18.00	0.57	0.750 TO 0.800
2102	40.00	18.00	0.62	0.850 TO 1.000
2103	40.00	18.00	0.82	1.100 TO 1.350
2104	40.00	18.00	1.10	1.450 TO 1.650
2105	40.00	18.00	1.35	1.700 TO 1.850
2106	40.00	18.00	1.50	1.900 TO 2.200



**18 MM TOP BOTTOM**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2107	40.00	18.00	0.65	0.900 TO 1.100
2108	40.00	18.00	0.80	1.100 TO 1.300
2109	40.00	18.00	1.10	1.450 TO 1.650
2110	40.00	18.00	1.30	1.700 TO 2.000
2111	40.00	18.00	1.50	1.900 TO 2.200



**18 MM INTERLOCK**


**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2112	40.00	18.00	0.60	0.900 TO 1.000
2113	40.00	18.00	0.76	1.250 TO 1.500
2114	40.00	18.00	0.95	1.500 TO 1.700
2115	40.00	18.00	1.15	1.800 TO 2.100
2116	40.00	18.00	1.50	2.200 TO 2.400

**TOP BOTTOM**

**SINGLE LEG**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2117	40.00	18.00	1.00	1.300 TO 1.400




**DOMAL CLIP**

**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2118	28.80	38.20	1.20	0.880 TO 1.080

**DOMAL SHUTTER**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2119	65.00	27.20	1.50	3.100 TO 3.300




**DOMAL SINGLE TRACK TOP**

**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2120	40.00	45.00	1.20	2.430 TO 2.970

**DOMAL 2 TRACK DOMAL TOP**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2121	75.00	45.00	1.40	4.490 TO 5.480




**DOMAL SHUTTER**

**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2122	65.00	27.20	1.50	2.850 TO 3.500

**2/1 HANDLE**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2123 \ L	50.00	25.00	0.70	1.200 TO 1.300
2124 \ H	50.00	25.0	0.90	1.600 TO 1.750



**MIDDEL**

**WINDOW**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2125	50.00	25.00	0.80	1.350 TO 1.450


**ANGLE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2126	38.00	24.00	1.85	1.100 TO 1.200
2127	38.00	24.00	2.12	1.250 TO 1.400
2128	38.00	25.00	2.52	1.500 TO 1.650
2129	38.00	25.00	3.25	1.900 TO 2.100




**MULLION**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2130	44.00	40.00	1.50	2.500 TO 2.700


**MOLLION Z CLIP**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2131	32.50	18.50	1.20	0.900 TO 1.000




**INDUSTRIAL PROFILE**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2132	32.00	24.00	2.00	1.700 TO 1.800

**INDUSTRIAL PROFILE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2133	62	24.00	1.50	2.750 TO 2.850

**DOMAL 2 TRACK TOP**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2134	75.00	45.00	1.00	3.500 TO 3.600


**INDUSTRIAL PROFILE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2135	65.00	26	1.00	2.850 TO 2.950




**3/1 MIDDLE**




SECTION NO	A	B	T	WEIGHT KG \ 12'
2136	75.00	25.00	1.00	2.000 TO 2.100

**3/1 HANDLE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2137	75.00	25.00	1.00	2.100 TO 2.200





SECTION NO	A	B	T	WEIGHT KG \ 12'
2138	65.00	27.00	1.00	2.600 TO 2.700


**3/1 TOP BOTTEM**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2139	75.00	25.00	1.00	2.400 TO 2.500




**CURTAIN WALL**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2140	45.00	45.00	1.00	2.100 TO 2.200


**DOMAL**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2141	90.00	42.00	1.00	4.600 TO 4.800




**DOMAL 2 TRACK**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2142	86.00	42.00	1.00	4.100 TO 4.300


**DOMAL SINGLE TRACK**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2143	45.00	45.00	1.00	2.400 to 2.600




**MOLLION Z**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2144	60.00	40.00	1.50	3.700 TO 3.900


**MOULDING L PIPE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2145	2.00	30.00	1.00	2.200 to 2.300




**MOULDING L PIPE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2146	50.00	25.00	1.00	1.300 TO 1.400


**INDUSTRIAL PROFILE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2147	65.00	27.00	1.00	2.200 TO 2.300




**INDUSTRIAL PROFILE**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2148	13.00	17.00	0.80	0.550 TO 0.650

**MOULDING TOP BOTTOM**



SECTION NO	A	B	T	WEIGHT KG \ 12'
2149	63.00	25.00	1.00	1.550 TO 1.650





Pandesara, Surat, Gujarat 394221